

I/P Transducers

CONTROLAIR



www.intech.co.nz/ip

The 3~15 PSI output models can be used with our **LPN-DP-3/15psi transmitter** for monitoring - see page 13 <<

MODEL	DESCRIPTION	PRICE
GT2108ED	Industrial current to pressure transducer. Output: 3~15 PSI. Input: 4~20mA. 225 ohms. Mount: Wall. Supply pressure: 100 psi, max. 20 psi, min.	\$680.00
500-AC	Industrial current to pressure transducer. Output: 3~15 PSI. Input: 4~20mA. 180 ohms. Mount: Wall. Supply pressure: 100 psi, max. 20 psi, min.	\$535.00
500-AD	Industrial current to pressure transducer. Output: 3~27 PSI. Input: 4~20mA. 220 ohms. Mount: Wall. Supply pressure: 100 psi, max. 35 psi, min.	\$535.00
500-AE	Industrial current to pressure transducer. Output: 6~30 PSI. Input: 4~20mA. 220 ohms. Mount: Wall. Supply pressure: 100 psi, max. 35 psi, min.	\$535.00

Mercury rotating electrical connectors

Rotating connectors

MERCOTAC

MODEL	DESCRIPTION	PRICE
205	Coaxial connector. 2 poles. 595 Lug cap..... \$10.00 592 Receptacle.. \$18.00 Current: 4 amps at 240Vac. RPM: 2000 max.	\$55.00
230	Modular connector. 2 poles. Boot kit..... \$25.00 Current: 30 amps at 240Vac. RPM: 1800 max.	\$135.00
305	Coaxial connector. 3 poles. 553 Lug cap..... \$21.00 593 Receptacle.. \$33.00 Current: 4 amps at 240Vac. RPM: 2000 max.	\$123.00
330	Modular connector. 3 poles. Current: 30 amps at 240Vac. RPM: 1800 max.	\$235.00
331	Modular connector. 3 poles. Current: 2 @ 4 amps at 240Vac. 1 @ 30 amps. RPM: 1800 max.	\$210.00
430	Modular connector. 4 poles. Boot kit..... \$28.00 Current: 2 @ 4 amps at 240Vac. 2 @ 30 amps. RPM: 1200 max.	\$345.00
50431	Plug Assembly for 430 (with wires). \$28.00	
50430	Plug Kit for 430 (No wires). \$19.00	
435	Modular connector. 4 poles. Boot kit..... \$39.00 Current: 30 amps at 500Vac. RPM: 300 max.	\$585.00
630	Modular connector. 6 poles. Boot kit..... \$35.00 Current: 2 @ 4 amps at 240Vac. 4 @ 30 amps. RPM: 300 max.	\$730.00
830	Modular connector. 8 poles. Boot kit..... \$38.00 Current: 2 @ 4 amps at 240Vac. 6 @ 30 amps. RPM: 200 max.	\$1180.00

Common Specifications.

Temperature range: Within 7~60°C
Voltage range: 0~500Vac/dc.
Mercury contact resistance: 1 milli-ohm max.



www.intech.co.nz/mercotac

More models are available.
Contact Intech.