# International Export Price Discount Schedule 2021/2022





**Intech Instruments Ltd** 

Phone: +64 3 343 0646

Email: export@intech.co.nz

## Intech Instruments Ltd CONDITIONS OF SALE

Note: These terms and conditions apply to all future transactions between Intech Instruments Limited and you.

- Prices: All prices are based on the factory price list as held by Intech at date of quotation, and also on rates of duty and primage, basic wages, freight, insurance and foreign exchange fluctuations at date of quotation. Any increase between the date of quotation and the date of delivery in direct costs other than the factory price resulting from variation in any of these factors or any other factor beyond the reasonable control of Intech shall be payable by the purchaser, provided the Buyer may cancel the Agreement within 7 days of notice of any increase in price. All prices quoted unless otherwise specified are in New Zealand dollars.
- 2. Validity: Unless previously withdrawn our quotation is open for acceptance for the period stated therein, or when no period is stated, within 30 days only from the date thereof, and is subject to confirmation by Intech at the time of such acceptance. The quotation is not deemed to have been accepted until all information required for indenting or ordering of items has been received.
- 3. Government Approval or Import License: Our quotation is subject to the availability of any necessary Government Approval or Import Licences and in the event of such approval or Licence not being forthcoming after reasonable efforts have been made by Intech, Intech may at its option determine the contract of sale and neither party shall have any claim against the other in respect thereof.
- 4. Delivery: Where a delivery period is quoted the period will commence when the purchaser accepts or is deemed to have accepted the quotation or upon the granting of Government approval or Import Licence where necessary or (where requested by Intech) upon receipt by Intech of all necessary information and drawings to enable the work to be put in hand whichever is the later. In no circumstances shall Intech be liable for late delivery by reasons of fire, strike, stoppages of work, war, Government action, transport delays, acts of God, shortages of supplies or manufacturers delays or any other cause whatsoever beyond Intech's control. Delivery shall be deemed to be made to the Buyer when the goods are despatched from Intech's premises or at the time when the Buyer is advised of the availability of the goods for dispatch in the event of the Buyer being unable to take delivery immediately. Where the goods are to be supplied and installed by Intech, delivery shall be deemed to be made when the goods are supplied and delivered to the Buyer's premises. Where it is agreed that the goods may be delivered by instalments each delivery is to be regarded as a separate contract and price payable accordingly. Failure of the Buyer to pay for one or more instalments of goods on due dates shall entitle Intech at its option to: a) suspend further deliveries pending payment; and or b) treat the agreement as repudiated by the Buyer.
- 5. Passing of Risk: Risk passes from Intech to Buyer on delivery from which time the goods shall be at the sole risk of the Buyer notwithstanding that payment for such goods may be payable in whole or in part at a later date.
- 6. Property in the goods: Until payment of the whole of the purchase, the property of the goods shall not pass to the Buyer not withstanding that the risk has passed to the Buyer on delivery as aforesaid. Pending full payment, the Buyer agrees to hold the equipment as bailee and in default of payment on the due date of any instalment to return goods in good order and condition to the company.

- Insurance and Transportation: All insurance and transportation charges after delivery are the responsibility of the Buyer. Where requested, Intech will arrange transport and insurance for the goods on behalf of the Buyer and the cost thereof shall be paid by the Buyer
- 8. Damage, etc: Inspection of the goods shall be made by the Buyer immediately upon delivery and in the event of damage, incorrect execution or shortage, the Buyer shall notify Intech in writing within 3 days of receipt of goods, and shall similarly notify the carrier in the case of damage or shortage of goods. Intech shall not be liable in respect of damage or shortage caused in transit, but any insurance arranged as in clause 7 hereof shall be applicable. The Buyer shall afford Intech the opportunity to inspect the goods within a reasonable time following notice and before any use is made. If the Buyer fails to comply with the provisions the goods are conclusively presumed in accordance with the agreement and free of any defect/damage apparent on reasonable examination and the Buyer has deemed to have accepted them.
- Payment: Payment must be tendered to Intech in New Zealand currency at the registered office of Intech by the 20th of the month following the month in which the goods were despatched. Unless stated to the contrary Intech reserves the right to charge interest at 10% per annum on overdue accounts.
- 10. Guarantee: Equipment supplied by Intech Instruments Ltd, unless otherwise stated, is guaranteed against faulty workmanship and material for twelve months from the date of dispatch from Intech's premises. Intech's responsibility is limited to the replacement of defective parts whether the work is carried out on site or at Intech's premises. Equipment may be repaired under guarantee on site or at Intech's premises providing the equipment is returned to Intech freight paid. If the repairs are carried out on site travelling and accommodation costs may be charged at ruling rates. Should Intech be called upon to carry out work under guarantee and find that the fault is not due to faulty workmanship or materials on Intech's part then any costs involved will be added to the contract price and charged accordinaly.
- 11. Limitation of Liability: Intech's liability to you is strictly limited to its obligations under the guarantee. Intech accepts no responsibility for any other damage loss or losses arising from or in any way connected with the goods supplied or services provided whether directly or indirectly and whether by way of consequential loss or otherwise howsoever. If despite the exclusions of liability in this clause Intech is found to be liable to you, the liability shall be limited to the value of the goods or services supplied by Intech to which the claim relates.
- Errors: Quotations are subject to correction by Intech for omissions and typing errors.
- Definition: Wherever the word "Intech" is used it shall be deemed to extend to and include Intech Instruments Limited or its successor or assign.

Due to on going research and development, designs, specifications, and documentation are subject to change without notification.

No liability will be accepted for errors, omissions, or amendments to specifications.

Prices are standard packaging and ex Intech's store, freight is an additional charge.

Temperature probes do not have a warranty.

Intech Instruments Ltd										
Office Location: 59 Mandeville Street	+64 3 343-0646									
Riccarton Christchurch 8011 New Zealand	Riccarton Christchurch 8440 New Zealand	Email	export@intech.co.nz							

**VISIT OUR WEBSITE** 

www.intech.co.nz

### Intech Instruments Ltd Export Price List - 2021/2022

		International Price Discount Schedule		
		(per purchase order)		
NZ\$	Discount US\$	US\$ / EUR	Discount	
0~2000	15%		0~1000	15%
2001~5000	17%		1001~3500	17%
5001~8000	19%		3501~5500	19%
8001~12000	21%		5501~8000	21%
12001 up	25%		8001 up	25%

#### Notes:

On any one purchase order, take the total list price of all items you will be ordering. Match this total price against the above list, and deduct the appropriate discount. Please ensure you use the correct currency from the table above.

All prices are FOB Christchurch, New Zealand All bank charges to your account

Model	Description	Price	Per Unit	Price	Per Unit	Price Per Unit	
		(NZ\$	)	(US\$)		(EUR)	
XU Universal Input T	ransmitter Series - Processor, USB Programmable		NZ\$		US\$	EUR€	
XU2	Loop Powered Transmitter Isolated Universal Input	\$	180.00	\$	134.00	€ 108.00	
XU2HI	Head Mount Loop Powered Transmitter Isolated RTD & Thermocouple	\$	168.00	\$	125.00	€ 101.00	X W
XU2HN	Head Mount Loop Powered Transmitter Non Isolated RTD only	\$	85.00	\$	63.00	€ 51.00	
XU-Spring-Kit	For vibration areas or where wide ambient temperatures exist on the probe head.	\$	12.00	\$	9.00	€ 8.00	Xun
XU4	4 wire (powered) Transmitter Isolated Universal Input	\$	224.00	\$	166.00	€ 135.00	
XU-USB (Rev 1)	USB Programming Key for programming XU Transmitters with XU Software	\$	92.00	\$	69.00	€ 56.00	ที 📜
XJ2	Single Loop Powered Transmitter - Universal Input, Analogue	\$	240.00	\$	178.00	€ 144.00	O J
XJ22	Dual Loop Powered Transmitter - Universal Input, Analogue	\$	398.00	\$	295.00		a man
XJ4	Single 4 wire (powered) Transmitter - Universal Input, Analogue	\$		\$	271.00		1
VID 14	Circle 4, 20 to 4, 20 to 4, 20 to 1, 20		200.00		1 40 00	120.00	A STATE OF THE PARTY OF THE PAR
XID-L1	Single 4~20 to 4~20mA Loop powered isolator, Input Resistance 250Ω	\$	=00.00	\$	148.00		
XID-L2	Dual 4~20 to 4~20mA Loop powered isolators, Input Resistance 250Ω	\$	352.00	\$	261.00		
XID-L4	Quad 4~20 to 4~20mA Loop powered isolators, Input Resistance 250Ω	\$	562.00	\$	416.00		
XID-P1	Single 4~20 to 4~20mA 24Vdc powered isolator	\$	234.00	\$	174.00		
XI-L1	Single 4~20 to 4~20mA Loop powered isolator, Input Resistance 50Ω	\$	234.00	\$	174.00		
XI-L2	Dual 4~20 to 4~20mA Loop powered isolators, Input Resistance 50Ω	\$	440.00	\$	326.00		A. A
XI-L4	Quad 4~20 to 4~20mA Loop powered isolators, Input Resistance 50Ω	\$	650.00	\$	481.00		
XI-P1	Single 4~20 to 4~20mA Input powered isolator	\$	285.00	\$	211.00		The state of the s
XI-P2	Dual 4~20 to 4~20mA Input powered isolators	\$	495.00	\$	367.00		
XI-P4	Quad 4~20 to 4~20mA Input powered isolators	\$	739.00	\$	547.00	€ 444.00	

	Loop powered / Plug-in / Frequency Trai	nsmit					
Loop powered transmit			NZ\$		US\$	EUR€	
LPI-D-F	DC to DC isolating signal transmitter (Not frequency input - see LPI-F-D below)	\$	245.00		182.00 €	147.00	
LPI-D-P	DC to DC isolating signal transmitter	\$	305.00		226.00 €	183.00	A THE REAL PROPERTY.
LPI-B	Bridge to DC isolating signal transmitter	\$	345.00		256.00 €	207.00	Y BELLEVIOLE
LPI-P	Potentiometer to DC isolating transmitter	\$	345.00		256.00 €	207.00	1
LPI-R-F	RTD to DC isolating transmitter	\$	245.00		182.00 €	147.00	
LPI-R-P	RTD to DC isolating transmitter	\$	310.00		230.00 €	186.00	entil.
LPN-R-H	RTD Pt100 to 4~20mA In-head transmitter	\$	120.00		89.00 €	72.00	
LPN-R-H-D	DIN Rail Mount Foot option for LPN-R-H	\$	20.00		15.00 €	12.00	
LPI-T-F	Thermocouple to DC isolating transmitter	\$	315.00		234.00 €	189.00	
LPN-R-X1	Single RTD to DC non isolating transmitter	\$	169.00		126.00 €	102.00	CONT.
LPI-CT-X1	Single LPI-CT CT transmitter	\$	260.00		193.00 €	156.00	The same of the same of
LPI-CT-X2	Dual LPI-CT CT transmitters	\$	410.00	\$	304.00 €	246.00	
INCCT Series - Split Co	re Current Transmitters & Switch		NZ\$		US\$	EUR€	
INCCT-521-SP	Current transmitter. Selectable ranges: 10A, 20A, 50A. Output 4~20mA.	\$	168.00	\$	125.00 €	101.00	<u> </u>
INCCT-2151-SP	Current transmitter. Selectable ranges: 100A, 150A, 200A. Output 4~20mA.	\$	168.00	-	125.00 €	101.00	
INCCT-521-RMS	Current transmitter. Selectable ranges: 10A, 20A, 50A. True RMS. Output 4~20mA.	\$	188.00	\$	140.00 €	113.00	
INCCT-2151-RMS	Current transmitter. Selectable ranges: 100A, 150A, 200A. True RMS. Output 4~20mA.	\$	188.00	т	140.00 €	113.00	
INCCS-04K-SW	Current switch. Adjustable: 1.5~200A in 3x ranges, self-powered.	\$	136.00		101.00 €	82.00	
					•		
Plug-in transmitters	Analogue - Power supply: 85~264Vac/dc or 22~85Vac/dc selectable		NZ\$		US\$	EUR€	
PI-D	DC to DC isolating signal transmitter	\$	470.00		348.00 €	282.00	
PI-F	Frequency to DC isolating signal transmitter	\$	590.00	\$	437.00 €	354.00	
	Trequency to be isolating signal transmitter	Ι Ψ			107.00		
	Bridge to DC isolating signal transmitter	\$	510.00	\$	378.00 €	306.00	
PI-B							
PI-B PI-M	Bridge to DC isolating signal transmitter	\$	510.00	\$	378.00 €	306.00	
PI-B PI-M PI-K PI-P	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)	\$ \$	510.00 635.00	\$ \$	378.00 € 470.00 €	306.00 381.00 360.00 300.00	
PI-B PI-M PI-K PI-P PI-R	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter	\$ \$ \$	510.00 635.00 600.00 499.00 560.00	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 €	306.00 381.00 360.00 300.00 336.00	
PI-B PI-M PI-K PI-P PI-R	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)	\$ \$ \$ \$	510.00 635.00 600.00 499.00	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 €	306.00 381.00 360.00 300.00	
PI-B PI-M PI-K PI-P PI-R PI-S	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)	\$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 €	306.00 381.00 360.00 300.00 336.00	
PI-B PI-M PI-K PI-P PI-R PI-S	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)	\$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV Frequency to DC loop p	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter	\$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00	\$ \$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV Frequency to DC loop p	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)	\$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00	\$ \$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV Frequency to DC loop p LPI-F-D	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter  Frequency Input, 4~20mA Output - DIN rail mount unit	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00 <b>NZ\$</b>	\$ \$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV Frequency to DC loop p LPI-F-D	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available) Resistance to DC isolating transmitter Potentiometer to DC isolating transmitter (LV option NOT available) RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available) Set point alarm unit. Two set points, two relay outputs Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter Frequency Input, 4~20mA Output - DIN rail mount unit	\$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00 <b>NZ\$</b> 370.00	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV Frequency to DC loop p LPI-F-D DC to frequency transn TWI-FO	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter  Frequency Input, 4~20mA Output - DIN rail mount unit	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00 <b>NZ\$</b>	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00	
PI-B PI-M PI-K PI-F PI-R PI-S LV  Frequency to DC loop p LPI-F-D  DC to frequency transm TWI-FO TWN-FO	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter  Frequency Input, 4~20mA Output - DIN rail mount unit  nitters  Isolating DC to frequency interface  Non-isolating DC to frequency interface	\$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00  NZ\$ 370.00  NZ\$	\$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €  230.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00 EUR€ 186.00 186.00	
PI-B PI-M PI-K PI-F PI-R PI-S LV  Frequency to DC loop p LPI-F-D DC to frequency transm TWI-FO TWN-FO Frequency to frequency	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter  Frequency Input, 4~20mA Output - DIN rail mount unit  nitters  Isolating DC to frequency interface  Non-isolating DC to frequency interface	\$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00  NZ\$ 370.00  NZ\$	\$ \$ \$ \$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €  230.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00 EUR€ 186.00 186.00	
PI-B PI-M PI-K PI-P PI-R PI-S LV  Frequency to DC loop p LPI-F-D  DC to frequency transm TWI-FO TWN-FO  Frequency to frequency TWI-FF TWN-FF	Bridge to DC isolating signal transmitter  Maths function, DC to DC isolating transmitter with 3 inputs (LV option NOT available)  Resistance to DC isolating transmitter  Potentiometer to DC isolating transmitter (LV option NOT available)  RTD Pt100 to DC isolating transmitter (LV Power supply option NOT available)  Set point alarm unit. Two set points, two relay outputs  Power supply of 10~28Vac/dc fitted to any PI series transmitter (not for PI-M, PI-P or PI-R)  owered transmitter  Frequency Input, 4~20mA Output - DIN rail mount unit  nitters  Isolating DC to frequency interface  Non-isolating DC to frequency interface	\$ \$ \$ \$ \$ \$	510.00 635.00 600.00 499.00 560.00 577.00 80.00  NZ\$ 370.00  NZ\$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	378.00 € 470.00 € 444.00 € 370.00 € 415.00 € 427.00 € 60.00 €  US\$ 274.00 €  230.00 €	306.00 381.00 360.00 300.00 336.00 347.00 48.00 EUR€ 222.00 EUR€ 186.00 186.00	

o: I = 1			ALE !	1161		
Signal Transmitters	11. 01.	1	NZ\$	US\$	EUR€	
N-LF	Line filter	\$	155.00 \$	115.00 €	93.00	
W-FFA	Flow pulse amplifier	\$	285.00 \$	211.00 €	171.00	V
Differential Pressure	Fransmitters (For Dry Non-Corrosive Gases)		NZ\$	US\$	EUR€	
LPN-DP-100mm	Programmable spans from ±10 to ±100mm W.G. Factory set to 0~100mm W.G.	\$	695.00 \$	515.00 €	417.00	1
LPN-DP-1000mm	Programmable spans from ±100 to ±1000mm W.G. Factory set to 0~1000mm W.G.	\$	695.00 \$	515.00 €	417.00	
LPN-DP-100kPa	Programmable spans from ±10 to ±100kPa. Factory set to 0~100kPa.	\$	695.00 \$	515.00 €	417.00	The same
4~20mA Panel Displa		1	NZ\$	US\$	EUR€	
LPI-LCD-6	4~20mA Panel Display IP65 (4~20mA Calibrator is NOT required for setup)	\$	440.00 \$	326.00 €	264.00	THOUGH Y 2 Y 2 X
Process Indicators - U	niversal Power Supply 24~250Vac / 19.5~250Vdc		NZ\$	US\$	EUR€	
IN-uP4	Universal Input Indicator with no outputs. Universal Power Supply.	\$	249.00 \$	185.00 €	150.00	
	Universal Input Indicator with 2x Relay outputs (250Vac, 3A Max.) plus 1x 4~20mA					S Francis
IN-uP4X	Analogue output. Universal Power supply.	\$	349.00   \$	259.00   €	210.00	: 22.60
uP4-Din-R2	Universal Input Indicator, DIN rail mount & 2 Relay Outputs. Universal Power Supply.	\$	320.00 \$	237.00 €	192.00	
D4 D' - D24	Universal Input Indicator, DIN rail mount & 2 Relay Outputs plus One Analogue Output	_	205.00	204.00	220.00	
uP4-Din-R2A	(4~20mA or 0~10Vdc selectable). Universal Power Supply.	\$	396.00 \$	294.00   €	238.00	100
XU-USB (Rev 1)	USB Programming Key for programming IN-uP4 / uP4-Din with uP Configure software	\$	92.00 \$	69.00 €	56.00	10
	Indicators for Special Applications - on Reque	est:				
IN-P	Multifunction Process Indicator					
PRC1-	1 x 4~20mA / 0~10V input + 24Vdc excitation	\$	448.00 \$	332.00 €	269.00	A STORY
PRC4-	4 x 4~20mA input + 24Vdc excitation	\$	688.00 \$	510.00 €	413.00	7,092
TC1-	1 x Thermocouple input. Types B, J, K, N, R, S, T.	\$	440.00 \$	326.00 €	264.00	8 8 8 8
TC4-	4 x Thermocouple inputs. Types B, J, K, N, R, S, T.	\$	688.00 \$	510.00 €	413.00	
RTD1-	1 x RTD Pt100 input	\$	440.00 \$	326.00 €	264.00	
RTD4-	4 x RTD Pt100 input	\$	690.00 \$	511.00 €	414.00	
R2-	2 x 5A relay ouputs (for PRC1- model only)	\$	88.00 \$	66.00 €	53.00	
R4-	4 x 5A relay outputs	\$	118.00 \$	88.00 €	71.00	
R6-	6 x 5A relay outputs (for PRC1- model only)	\$	168.00 \$	125.00 €	101.00	
Α-	1 x 4~20mA / 0~10V analogue output	\$	98.00 \$	73.00 €	59.00	
WS485/ WS232	1 x serial port Isolated RS485 or RS232 (specify)	\$	130.00 \$	97.00 €	78.00	
WEA/WEM	With an Ethernet port Ascii or Modbus (specify)	\$	280.00 \$	208.00 €	168.00	
LV	Low Voltage Power Supply, 15~48Vac / 10~72Vdc	\$	68.00 \$	51.00 €	41.00	
	for IN-P. Please contact Intech.	1 4	σσ.σσ   φ	31.30   0	.1.00	The Party
IN-R	Large Display Tachometer Indicator	\$	388.00 \$	288.00 €	233.00	1700
IN-RT	Flow Rate Indicator with Totaliser	\$	478.00 \$	354.00 €	287.00	B 00 00 00
IN-RTB		\$	550.00 \$	407.00 €	330.00	210
Common Options:	Flow Rate and Batching Controller	>	330.00   \$	407.00   €	330.00	State of the
R2-	2 x 5A relay outputs	\$	88.00 \$	66.00 €	53.00	Tinge
	4 x 5A relay outputs			88.00 €		8 6 R
R4-		\$			71.00	100
A- WC49F / WC333	1 x 4~20mA / 0~10V analogue output	\$	98.00 \$	73.00 €	59.00	2111
WS485/ WS232	1 x Serial Port Isolated RS485 or RS232 (specify), Includes Modbus RTU (Not available for IN-R)	\$	130.00 \$	97.00 €	78.00	858
LV	Low Voltage Power Supply, 15~48Vac / 10~72Vdc	\$	68.00 \$	51.00 €	41.00	


pH Transmitter			NZ\$		US\$	EUR€	
LPI-pH	pH voltage to DC isolating transmitter with LCD display. See page 15 for pH probes	\$	780.00			€ 468.00	
Humidity transmitter			NZ\$		US\$	EUR€	2
IN-HWD	Humidity and Temperature Indicator / Transmitter - Wet & Dry bulb (IN-HWD (rev 2) replaces both 2100-A4-HWD and the older IN-HWD).	\$	760.00	\$	563.00	€ 456.00	1
Options							1680
R2	2 x 5A Relay Outputs	\$	88.00			€ 53.00	
R4	4 x 5A Relay Outputs	\$	118.00		88.00	€ 71.00	
WS232/WS485	Serial Port RS232 or RS485; Includes Modbus RTU.	\$	130.00			€ 78.00	
LV	Low Voltage Power Supply; 15~48Vac / 10~72Vdc.	\$	68.00	\$	51.00	€ 41.00	
lumidity wet and dry t	ank		NZ\$		US\$	EUR€	
WDT-DW	Wet & Dry Humidity tank & probe assembly	\$	560.00	\$	415.00	€ 336.00	
WDT-WICK	Spare wick cloth for wet bulb sensor	\$	10.00	\$	8.00	€ 6.00	
Humidity transmitters			NZ\$		US\$	EUR€	•
LPN-H-D (Rev 1)	Humidity and temperature transmitter, Sensirion SHT25 Digital sensor, duct mount	\$	430.00		319.00	€ 258.00	
LPN-H-Flange	Optional 100mm flange for LPN-H-D	\$	145.00			€ 87.00	
LPN-H-W (Rev 2)	Humidity and temperature transmitter, Sensirion SHT25 Digital sensor, wall mount	\$	398.00		295.00	€ 239.00	
LPN-H-CAP	LPN-H Replacement Filter Caps	\$	18.00		14.00		
Calibration canisters fo		1 4	10.00	Ψ	1 1100	2 11.00	-
LPN-H-CAL	Non spill calibration kit with 33% and 75% RH salt solutions including adaptor.	\$	336.00	\$	249.00	€ 202.00	
Hand held signal gener	ator		NZ\$		US\$	EUR€	2
IN-GEN	Signal Generator - use with a multimeter to simulate instrument signals	\$	425.00	\$	315.00	€ 255.00	
Overvoltage protection	unit		NZ\$		US\$	EUR€	
LPN-OVP (Rev 1)	Standard DIN rail mount	\$	120.00	\$	89.00	€ 72.00	
		l e					
Light intensity transmi	iter		NZ\$		US\$	EUR€	
LPN-LUX	Light intensity 4~20mA transmitter (replaces TWN-LUX)	\$	226.00	\$	168.00	€ 136.00	
Instrument Power Sup	nlies		NZ\$		US\$	EUR€	
PSW-10-F	24Vdc Output - 1A Output Current	\$	49.00		37.00	€ 30.00	
PSW-2	Adjustable Output 5~30Vdc, High/Mid Input power supply - 200mA Output Current	<u></u> \$	150.00			€ 90.00	
PSW-2-L	Adjustable Output 5~30Vdc, Low Input power supply - 200mA Output Current	\$	170.00		126.00	€ 102.00	
PSW-10	Adjustable Output 5~30Vdc - 1A Output Current, Power Supply of 100~264Vac/dc	\$	245.00		182.00	€ 147.00	

Wireless Z-2400-A2 Series / Multiplexers / Comms Converters / 2300 Series Remote Stations											
Wireless Z-2400-A2 Se	ries		NZ\$	US\$	EUR€						
Z-2400-A2IO	One Wireless Output node and One Input node, Paired & supplied as a Kit:	\$	924.00 \$	684.00	€ 555.00						
	Input Remote Wireless node. 2x Isolated Universal Inputs, 4x Digital I/O.										
Z-2400-A	Note: The Z-2400-A2I can also be used with the <b>Z-2400 Series</b> as part of a <b>MicroScan</b>		Z-2400	1							
	SCADA Wireless system. See page 11.										
Z-2400-A2	Output Remote Wireless node. 2x 4~20mA Outputs, 4x Digital I/O.		Z-2400	-A2IO Kit Or	nly						
Z-2400-A2R	Repeater node for Wireless Expansion.	\$	470.00 \$	348.00	€ 282.00						
XU-USB (Rev 1)	USB Programming Key for programming <b>Z-2400-A2 Series</b> with <b>uP Configure</b> software	\$	92.00 \$	69.00	€ 56.00						
Z-2400-A2 High Gain Ante	nna options ZA (instead of standard whip type).		See Page 11 fo	or options ar	nd pricing	-					
PSW-10-F	24Vdc, 1.0A Instrument Power Supply for the Z-2400-A2 Series	\$	49.00 \$	37.00	€ 30.00						
Notes:	All Z-2400 Wireless modules require a 9~36Vdc power supply.	•	•	•							
	2.4GHz modules certified for use in USA, Canada, Europe, Australia and New Zealand.										

Multiplexers	Power supply 85~264Vac/dc or 23~90Vdc (field selectable)	NZ\$	US\$		EUR€
2100-M-R	RTD Pt100 inputs	\$ 915.00	\$ 678.00	€	549.00
2100-M-I	mA inputs	\$ 900.00	\$ 666.00	€	540.00



<b>Converters Serial and E</b>	ithernet		NZ\$		US\$	E	UR€	
2400-IS	Isolated Auto-Detecting USB/RS232 to RS485/422/232 Converter	\$	405.00	\$	300.00	€ 24	3.00	
								COOKE .
2100-IS	Isolating RS232 to RS485 or RS422 (selectable) Converter. Relay output for comms failure.	\$	520.00	\$	385.00	€ 31	2.00	1
2100-NET	Ethernet TCP/IP to RS232/422/485 converter	\$	880.00		652.00	€ 52	8.00	
The <b>2100-NET</b> is used w	th the 2400/2100 series I/O Remote Stations and Shimaden Controllers when connecting	via Eth	ernet TCP/1	IP.			1	
The <b>2400-A16-NET</b> and	2100-A16-NET connect directly via Ethernet TCP/IP.							
2300-NET	Ethernet TCP/IP to RS485 converter, Modbus TCP to Modbus RTU, 24Vdc	\$	490.00	\$	363.00	€ 29	4.00	
The 2300-NET is used wi	th the <b>2300 series</b> I/O Remote Stations when connecting via Ethernet TCP/IP.						4	Matten
PSW-10-F	24Vdc, 1.0A Instrument Power Supply for the 2300-NET	\$	49.00	\$	37.00	€ 3	0.00	



2400 A1C Tooleted University	Multiplexers / 2400/2100 Series Remote Station				IIA+		FUE	
2400-A16 Isolated Univ	ersal Analogue and digital input/output Multiplexer / SCADA station  Remote station. Up to 16, Isolated Universal Analogue inputs. Dedicated Digital input and rela-	v outn	NZ\$		US\$		EUR€	
2400-416-116		y outpi					• • •	
2400-A16-I16 2400-A16-I8	16 Isolated Universal Input Channels, RS422/RS485 Comms.	\$	1,780.00 1,250.00		1,318.00 925.00		1,068.00 750.00	THE COR
2400-A16-18 2400-A16-I16-NET-H	8 Isolated Universal Input Channels	\$	2,040.00					- Control of the Cont
	16 Isolated Universal Input Channels, with Ethernet TCP/IP option connection fitted.	<b>)</b>	2,040.00	\$	1,510.00	€	1,224.00	
Options	Dower supply of 24, 49\/ac 17, 72\/do fitted	\$	85.00	d.	63.00	6	E1 00	Lake Service
-M -L	Power supply of 24~48Vac, 17~72Vdc fitted  Power supply of 10~28Vdc fitted	\$	85.00		63.00		51.00 51.00	
· <b>L</b>	USB Programming key for programming <b>2400-A16</b> with <b>Intech Micro Station</b>	Þ	65.00	Þ	63.00	E	51.00	
XU-USB (Rev 1)		\$	92.00	\$	69.00	€	56.00	
	Programmer software (software also for data logging with the 2400-A16-SD-NET)							
2400-A16-SD Memory D	eata logging to SD card		NZ\$		US\$		EUR€	
2400-A10-SD Memory D	Allows stand alone data logging of inputs. All functions of 2400-A16 available. See above f	or onti			035		LUKE	. at the
	16 Isolated Universal Input Channels. SD Memory Logging.	John						
2400-A16-I16-SD-NET	Port 1 fitted with <b>Ethernet TCP/IP</b> connection.	\$	2,400.00	\$	1,776.00	€	1,440.00	
	professional Edition of the Connection.			I		i		
2400-R2 Relay expansion	on unit for 2400-A16		NZ\$		US\$		EUR€	
2400-R2	Relay output expansion unit for 2400-A16. Power supply 24Vdc, 10VA.	\$	790.00	\$	585.00	€	474.00	
PSW-10-F	24Vdc, 1.0A Instrument Power Supply for the 2400-R2	\$	49.00	\$	37.00		30.00	
	ETTAG TIGHT TOTAL SUPPLY TO THE ETGG TE	Τ	.5.00	Τ	07.100		50.00	
2100-A16 Analogue inp	ut Intelligent Multiplexer / SCADA station		NZ\$		US\$		EUR€	
2100-A16	Analogue input remote station. 16 analogue channels. Modbus RTU standard.	4	1 440 00	4	1 066 00	_	964.00	100
2100-A16	Power supply 85~264Vac/dc or 23~90Vdc (field selectable)	\$	1,440.00	\$	1,066.00	€	864.00	The same of the sa
2100-A16-NET	Analogue input remote station. 16 analogue channels. Modbus RTU standard. Ethernet	\$	1,904.00	\$	1,409.00	€	1,143.00	The same of
2100-A10-NE1	TCP/IP option connection fitted. Power supply 85~264Vac/dc or 23~90Vdc.	Ψ	•				•	
Note 1	Input expansion: This is a standard feature. Supports up to four 2100-M multiplexers. <i>The two an</i>	alogu	e outputs ar	e not	available w	ith th	is option.	The state of
Note 2	Output expansion: Supports up to two 2100-R2 relay output modules.		_					
	This unit allows the station to 'stand alone' as a 16 channel controller for a combination of control a	and ala	rm functions.					
2100-D2 Polay ovnancie	on unit for 2100-A16 Power supply 85~264Vac/dc or 23~90Vdc (field selectable)		NZ\$		US\$		EUR€	
2100-RZ Relay expansio	The difference of 2100-A10 Power supply 65-204-vac/dc of 25-30-vac (field selectable)	T	1425		035		LUKE	
2100-R2	Relay output expansion unit (replaces 2100-R, can use 2x 2100-R2 with 2100-A16 rev 1.3)	\$	785.00	\$	581.00	€	471.00	
2400 D Digital iggs. 1/200			N7A		HCA		FURC	
2100-D Digital input/ou	tput SCADA station Power supply 85~264Vac/dc or 23~90Vdc (field selectable)		NZ\$		US\$		EUR€	
2100-D	Digital input/output remote station	\$	1,198.00	\$	887.00	€	719.00	Sec. 1
	2 F. A code as common	$\perp$	_,_50.00	$\prod_{i=1}^{r}$		Ĺ		San
	Monitoring (Comes with a limited, free service period).		NZ\$		US\$		EUR€	
ezeio-STD	ezeio Controller. Communications Ethernet TCP/IP	\$	1,155.00	\$	855.00	€	693.00	
ezeio-GSM	ezeio Controller. Communications Ethernet TCP/IP, 3G/GSM mobile/cellular network.	\$	1,695.00	\$	1,255.00	€	1,017.00	020:
	*Does not include SIM card or ongoing provider charges.							- obinomitario
eze Cable-485	eze Cable RS485 (1m), if using ezeio with a Intech Micro Remote Station.	\$	15.00	\$	12.00	€	9.00	
	Contact Intech for Service Options available.							

Mini pack options - Complete Chart Recorder replacement packages											
Mini pack 8 - Up to 8 ch	annels of recording		NZ\$		US\$		EUR€				
Software	MicroScan R8 recorder Software Package, with USB dongle										
<b>Includes Converter</b>	• Isolated Auto-Detecting Comms Converter USB/RS232 to RS485 [2400-IS] (1 only)										
and Hardware	• Intech Micro 2300 Remote Station (1 only) See below:							The state of the s			
	PSW-10-F Power Supply 24Vdc, 1.0A (1 only)							or Comment			
Option 1	If using 2300-RTD6 (6x RTD Inputs)	\$	2,380.00	\$	1,770.00	€	1,428.00	108 H3232			
Option 2	Using any other 2300 I/O remote station (see page 7 for available stations)	\$	2,480.00	\$	1,840.00	€	1,488.00	MINI PACK 8			
Alarms	1x 2300-RO4 - Comms fail alarm and/or Alarm outputs  Add	\$	320.00	\$	237.00	€	192.00	24/90			
Ethernet	1x 2300-NET - Connect via Ethernet TCP/IP (no 2400-IS)  Add	\$	110.00	\$	82.00	€	66.00				

Mini pack 16 - Up to 16 cl	hannels of recording		NZ\$		US\$		EUR€	
Software	MicroScan R16 recorder Software Package, with USB dongle	\$	3,826.00	\$	2,840.00	€ 2,	296.00	PROCESS.
Includes Converter	• Isolated Auto-Detecting Comms Converter USB/RS232 to RS485/RS422 [2400-IS] (1 only)							- S CD
and Hardware	• Intech Micro 2400-A16-I16 [16 Isolated Universal Analogue Input Channels] (1 only)							MINI PACK 16
Ethernet	1x 2400-A16-I16-NET - Connect via Ethernet TCP/IP (no 2400-IS) Less	-\$	130.00	-\$	100.00	-€	78.00	ing ,

Mini pack 32 - Up to 32 cl	nannels of recording	NZ\$	US\$		EUR€	
Software	MicroScan R32 recorder Software Package, with USB dongle	\$ 5,800.00	\$ 4,300.00	€	3,480.00	
Includes Converter	• Isolated Auto-Detecting Comms Converter USB/RS232 to RS485/RS422 [2400-IS] (1 only)					-
and Hardware	• Intech Micro 2400-A16-I16 [16 Isolated Universal Analogue Input Channels] (2 only)					MINI PACK 32
Ethernet	2x 2400-A16-I16-NET - Connect via Ethernet TCP/IP (no 2400-IS)  Add	\$ 120.00	\$ 90.00	€	72.00	

	Submersible Level Trans	mitters				
<b>IN-LLT Series (Rev 1)</b>	- Submersible Level Transmitters for Water applications		NZ\$	US\$	EUR€	
IN-LLT-C-01	0~1m H2O, with 10 metres of cable. 4~20mA output.	\$	680.00	\$ 504.00	€ 408.00	
IN-LLT-C-05	0~5m H2O, with 10 metres of cable. 4~20mA output.	\$	680.00	\$ 504.00	€ 408.00	· \
IN-LLT-C17-10	0~10m H2O, with 15 metres of cable. 4~20mA output.	\$	760.00	\$ 563.00	€ 456.00	<b>I</b>
IN-LLT-C17-20	0~20m H2O, with 30 metres of cable. 4~20mA output.	\$	820.00	\$ 607.00	€ 492.00	
IN-LLT-C17-50	0~50m H2O, with 60 metres of cable. 4~20mA output.	\$	950.00	\$ 703.00	€ 570.00	
IN-LLT-C17-100	0~100m H2O, with 110 metres of cable. 4~20mA output.	\$	1,100.00	\$ 814.00	€ 660.00	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
						1184
IN-LLT-V-01	0~1m H2O, with 10 metres of cable. 0~5Vdc output.	\$	680.00	\$ 504.00	€ 408.00	American and a second a second and a second and a second and a second and a second
IN-LLT-V-05	0~5m H2O, with 10 metres of cable. 0~5Vdc output.	\$	680.00	\$ 504.00	€ 408.00	158.2
IN-LLT-V-10	0~10m H2O, with 15 metres of cable. 0~5Vdc output.	\$	700.00	\$ 518.00	€ 420.00	<u>†</u>
IN-LLT-V-20	0~20m H2O, with 30 metres of cable. 0~5Vdc output.	\$	760.00	\$ 563.00	€ 456.00	A Transition
						- CONTRACT
LPN-OVP (Rev 1)	Overload protection unit for lightning	\$	120.00	\$ 89.00	€ 72.00	The same of the sa
NAA-101	Terminal box with filter without OVP	\$	75.00	\$ 56.00	€ 45.00	
NAA-102	Terminal box with filter and integral OVP	\$	295.00	\$ 219.00	€ 177.00	Trouble Service
NAA-209	Overload protection unit for lightning	\$	32.00	\$ 24.00	€ 20.00	(

Data logging and SCA	DA Software Packages - Comes complete with USB dongle		NZ\$		US\$	EUR€
	e Recorder Packages				334	
<b>R8</b>	MicroScan recorder, 8 inputs, 8 outputs	\$	1,680.00	\$	1,244.00	€ 1,008.00
R16	MicroScan recorder, 16 inputs, 16 outputs	\$	1,880.00	\$		€ 1,128.00
R32	MicroScan recorder, 32 inputs, 32 outputs	\$	2,095.00	\$		€ 1,257.00
R50	MicroScan recorder, 50 inputs, 160 outputs	\$	2,215.00	\$		€ 1,329.00
R100	MicroScan recorder, 100 inputs, 160 outputs	\$	2,824.00	\$		€ 1,695.00
R200	MicroScan recorder, 200 inputs, 160 outputs	\$	3,822.00	\$		€ 2,294.00
R300	MicroScan recorder, 300 inputs, 160 outputs	\$	4,460.00	\$	3,301.00	€ 2,676.00
R400	MicroScan recorder, 400 inputs, 160 outputs	\$	5,090.00	\$	3,767.00	€ 3,054.00
R600	MicroScan recorder, 600 inputs, 160 outputs	\$	6,205.00	\$		€ 3,723.00
R800	MicroScan recorder, 800 inputs, 160 outputs	\$	7,335.00	\$	5,428.00	€ 4,401.00
R1000	MicroScan recorder, 1000 inputs, 160 outputs	\$	8,280.00	\$	6,128.00	€ 4,968.00
1aximum Recorder Li	nes = 1000 made up of 100 pages with 10 lines on each page					
MicroScan v5 softwar	e Tag Packages including Recorder, Mimics, Shimaden, DDE	1				
<b>150</b>	MicroScan software package, 50 tags	\$	2,674.00	\$	1,979.00	€ 1,605.00
Г <b>7</b> 5	MicroScan software package, 75 tags	\$	3,162.00	\$		€ 1,898.00
T150	MicroScan software package, 150 tags	\$	4,586.00	\$		€ 2,752.00
T300	MicroScan software package, 300 tags	\$	5,985.00	\$		€ 3,591.00
T <b>500</b>	MicroScan software package, 500 tags	\$	7,380.00			€ 4,428.00
Γ <b>750</b>	MicroScan software package, 750 tags	\$	8,790.00			€ 5,274.00
T5000	MicroScan software package, 5000 tags	\$	10,190.00	\$		€ 6,114.00
1aximum Tags = 500		Ψ	10/130.00	Ψ	775 12100	0/11/100
SYM	Symbol Factory Library for Mimics images		POA		POA	POA
Optional software mo			NZA		US\$	FUDE
•	MicroScan Tool Box	T #	<b>NZ\$</b> 1,840.00	t.		EUR€
B+ PLC		\$ \$	630.00			€ 1,104.00 € 378.00
LC	PLC Interface - specify PLC make and model	<b>→</b>	630.00	Þ	407.00	€ 3/6.00
letwork Drivers						
<u>P1</u>	Active PC will support 1 Passive PC	\$	998.00			€ 599.00
2	Active PC will support 2 Passive PC's	\$	1,525.00			€ 915.00
93	Active PC will support 3 Passive PC's	\$	2,050.00			€ 1,230.00
94	Active PC will support 4 Passive PC's	\$	2,580.00			€ 1,548.00
25	Active PC will support 5 Passive PC	\$	3,070.00			€ 1,842.00
P6+	Active PC will support 6 or more passive nodes	\$	3,470.00	\$	2,568.00	€ 2,082.00
	ngle / Software Key / Version / Package + Modules		NZ\$		US\$	EUR€
ersion Upgrade	V4 to V5 = 35% of the equivalent V5 list price		35%		35%	35%
Delegas I Madulas	including all modules plus Dongle or License Key Upgrade	1			-	
Package + Modules	Upgrading to a larger package + modules combination. <b>Price is the dollar difference between</b>	\$	230.00	\$	171.00	€ 138.00
Jpgrade Dongle Upgrade	packages + modules plus and plus Dongle or License Key Upgrade					
	If you require a USB (Super Pro) dongle (see Notes below)	\$	480.00			€ 288.00
icense Key Upgrade	If you already have a USB or Parallel (Super Pro) dongle. Replacement for lost file.	\$	198.00			€ 119.00
Note 1:	Dongle options: USB (standard) or Parallel (on special request) - Dongle includes the License Key. Old Sentine	a Cido	ngles are now re	edunda	ant and must be r	eturned to Intech

MA5 / Shimaden Lite Software									
MicroScan MA5 mobile	e alarm software - for use with MicroScan V5 and Microsoft .NET 2.0	NZ\$	US\$	EUR€					
MA5	For MicroScan V5 software packages	POA	POA	POA					
MA5-Lite	For MicroScan V5 R8, R16 & R32 software packages only. Includes all features of MA5	POA	POA	POA					
MA5 Modem Kit	3G/GSM phone hardware kit. Does not include SIM card or ongoing provider charges.	POA	POA	POA					

<b>Shimaden Lite software</b>		NZ\$	US\$	EUR€	
Shimaden-Lite	Shimaden Lite software package (Note: Shimaden Lite should only be used with Windows	N/C	N/C	N/C	71920 c
Sillinaueli-Lite	XP or above and is not a replacement for a full SCADA system)	IV/C	IN/C	IN/C	0000

	Z-2400 Series (Wireless MicroScan and Data Loggi	ng Co	mmunic	atior	1)		
ZigBee® Modules. F	Power Supply: 9~36Vdc.		NZ\$		US\$	EUR€	
Z-2400-RB-T	ZigBee® Base or Router (RS485, RS422, RS232). 100mW	\$	486.00	\$	360.00	€ 292.00	A 1
Z-2400-TCP-T	ZigBee® Ethernet - MicroScan or Modbus Base Only. 100mW	\$	795.00	\$	589.00	€ 477.00	E
Z-2400-A2I	ZigBee® Input - 2x Universal inputs, 4x Digital inputs, 2x Digital outputs, 2x Relay outputs. 100mW.	\$	462.00	\$	342.00	€ 278.00	
Z-2400-Sleeper	ZigBee® Sleeper Plug Powered & Battery Powered + 2 Universal Inputs. 1mW	\$	618.00	\$	458.00	€ 371.00	
Z-2400-BAT	Replacement Z-2400-Sleeper battery	\$	69.00	\$	52.00	€ 42.00	
XU-USB (Rev 1)	USB Programming Key for programming <b>Z-2400-A2I</b> and <b>Z-2400-Sleeper</b> with <b>XU</b> Software	\$	92.00	\$	69.00	€ 56.00	
PSW-10-F	24Vdc, 1.0A Instrument Power Supply for the Z-2400 Series	\$	49.00	\$	37.00	€ 30.00	
Notes:	All Z-2400 Wireless modules require a 9~36Vdc power supply.  2.4GHz modules certified for use in USA, Canada, Europe, Australia and New Zealand.						

2.4GHz Indoor /Out	tdoor High Gain Antennas	NZ\$	US\$	EUR€	
2.4Ghz Indoor Ante	nnas for Z-2400 Series.				
ZA-OD24-5	2.4Ghz Indoor Antenna for Z-2400 Series. Indoor 5.5dBi Omni Directional Rubber Duck Antenna.	\$ 41.00	\$ 31.00	€ 25.00	
ZB-P-45	Extension Coax for Z-2400 Series Indoor Antenna. RP-SMA Type with Bulkhead 0.2m.	\$ 32.00	\$ 24.00	€ 20.00	
2.4Ghz Outdoor And	tennas for Z-2400 Series. (Outdoor antennas are supplied with mounting brackets and coax-seal)				
ZA-OD24-2	Outdoor 2.2dBi Omni Directional Whip Antenna c/w 0.5m coax cable.	\$ 118.00	\$ 88.00	€ 71.00	
ZA-OD24-8	Outdoor 8dBi Omni Directional Monopole Antenna c/w 3m coax cable.	\$ 259.00	\$ 192.00	€ 156.00	
ZA-PG24-19	Outdoor 19dBi Directional Parabolic Grid Antenna c/w 3m coax cable.	\$ 221.00	\$ 164.00	€ 133.00	11.7

<b>Communication Modules</b>	for RS485/422	NZ\$ each	US\$ each		<b>EUR€</b> each	
Digi485	Digi Radio Modem for RS485/422.	\$ 535.00	\$ 396.00	€	321.00	

	Data Loggers							
HR Series Data Loggers -	rugged 304 stainless steel case		NZ\$		US\$		EUR€	
T-HR	Single temperature. IP68 rating	\$	380.00	\$	282.00	€	228.00	
HT-HR	Humidity and temperature	\$	465.00	\$	345.00	€	279.00	E
Tc-HR	Dual temperature. Type J, K, N, R, T (Does not include thermocouple probe)	\$	450.00	\$	333.00	€	270.00	
ННТ-03	Type K thermocouple temperature probe for Tc-HR	\$	43.00	\$	32.00	€	26.00	1
	70mm lead c/w plugs (Specify thermocouple type).							
Tc-HR Plug Set	Includes Switchcraft plug (logger end) and Mini jack (connects to T/c Mini plug).	\$	48.00	\$	36.00	€	29.00	
	Mini plugs are also available on request.							
Pt-HR	Dual temperature. RTD Pt100/Pt500/Pt1000 (Does not include RTD probe)	\$	440.00	\$	326.00	€	264.00	
TP-Pt100	RTD Pt100 temperature probe for Pt-HR, range -100~150°C	\$	108.00	\$	80.00	€	65.00	
mV-HR	milli-Volt ±50mV / ±100mV / ±200mV / ±400mV dc range (does not include test lead)	\$	440.00	\$	326.00	€	264.00	
mV-HR Lead	Test lead set	\$	93.00		69.00	€	56.00	
WT-HR	Water level, air temperature, and water temperature							
Water level,	0~0.25m WT-HR-250	\$	635.00	\$	470.00	€	381.00	í
5 ranges	0~0.5m WT-HR-500	\$	655.00		485.00		393.00	
- · · •	0~1.0m WT-HR-1000	\$		\$	537.00		435.00	
	0~1.5m WT-HR-1500	\$		\$	578.00		468.00	
	0~2.0m WT-HR-2000	\$	830.00	\$	615.00		498.00	
	Option for 316 S/S for salt water	\$	123.00	\$	92.00		74.00	
		1.						
pH-HR	pH and temperature (Does not include pH probe - see Page 15 for probes)	\$	450.00	\$	333.00	€	270.00	
pH-HR Plug Set	Fit plug set to pH sensor for use with pH-HR logger. We recommend using a pH sensor fitted with a RTD Pt100 sensor for the best possible accuracy.	\$	48.00	\$	36.00	€	29.00	
GP-HR	4 input general purpose logger (Also requires the Add on probe sets below)	\$	495.00	\$	367.00	€	297.00	
Add on probe sets for		Ψ	133.00	Ψ	307.00	C	237.00	STZ
GP-HR	Standard probe sets are listed. Other combinations available - Contact Intech.							
mA1-PS	One 4~20mA or 0~20mA input	\$	58.00	\$	43.00	€	35.00	
mA3-PS +P	Three 4~20mA or 0~20mA inputs c/w one pulse input	\$	80.00	\$	60.00	€	48.00	
##VD3-PS	Three DC voltage inputs. ## = Specify voltage up to 32Vdc	\$	80.00	\$	60.00	€	48.00	
L-PS	Light energy cable.	\$	80.00	\$	60.00	€	48.00	
Pt3-PS	Three RTD Pt1000 temperature probes, range -50~130°C	\$	230.00	<b>.</b>	171.00	€	138.00	
PL3-P3	(Logger maximum RTD Pt1000 range is -100~400°C)	Þ	230.00	\$	171.00	E	136.00	
P100-HR-PS	Pressure sensor. Range = -15~100psi (Overload 200psi, Burst 500psi).	\$	575.00	\$	426.00	€	345.00	
P300-HR-PS	Pressure sensor. Range = -15~300psi (Overload 600psi, Burst 1500psi).	\$	575.00	\$	426.00	€	345.00	
R-PS	One Slow Pulse for Rain Gauge input	\$	60.00	\$	45.00	€	36.00	•
Flow-mA2-PS	Coil or open collector plus two 4~20mA inputs	\$	125.00	\$	93.00		75.00	
ACM-mA2-PS	Flow metering off the pump run contact plus two 4~20mA inputs	\$	110.00	\$	82.00	€	66.00	
Replacement Battery Kit	S							
DLC3 Tester	Contains One Mark4 battery. Comes complete with stainless tube, 2 Orings & new label.	\$	125.00	\$	93.00	€	75.00	
DLC3 Tester Kit	Contains Three Mark4 batteries. Comes complete with stainless tube, 2 Orings & new label.	\$	200.00		148.00		120.00	THE RESIDENCE ASSESSMENT AND
HR-Battery Mk4	Spare Mark4 battery <b>ONLY</b> available at the time of purchase of an HR Data logger.	\$	55.00		41.00		33.00	Elizabet political political
HR-Battery Mk3	Mark3 loggers must be returned to Intech for factory replacement of batteries.	, T	20.00	т	.1.00		22.00	TANKS AND LANGER
								********
DLC3USB	Spare HR Series download cable (USB)	\$	126.00	\$	94.00	€	76.00	
		\$	25.00		19.00			

	Data Loggers continued							
Data Loggers (continued)			NZ\$		US\$		EUR€	
GP-MC	10 channel universal input logger (Also requires the Add on probe sets below)	\$	750.00	\$	555.00		450.00	Company and the company of the compa
Seahorse	Option: IP66 Weatherproof enclosure	\$	340.00	\$	252.00	€	204.00	
Add on probe sets for	GP-MC Inputs are individually configurable using OmniLog. Each input requires conditioning	using	a 'Probe Se	et'.		•		
GP-MC	Probe set prices are per input as follows: Contact Intech for other available options.							
mA-MC-PS	One 4~20mA or 0~20mA input	\$	45.00	\$	34.00	€	27.00	( -manual
##VD-MC-PS	One Voltage input - available ranges are: $5VD-MC-PS = 0\sim5Vdc$ , $10VD-MC-PS = 0\sim10Vdc$ , $24VD-MC-PS = 0\sim24Vdc$ , $32VD-MC-PS = 0\sim32Vdc$ . Maximum voltage input for the GP-MC is $32Vdc$ - for voltages above $32Vdc$ use an intermediary transmitter like the PI-D	\$	56.00	\$	42.00	€	34.00	
P100-MC-PS	Pressure sensor. Range = -15~100psi (Overload 200psi, Burst 500psi).	\$	550.00	\$	407.00	€	330.00	
P300-MC-PS	Pressure sensor. Range = -15~300psi (Overload 600psi, Burst 1500psi).	\$	550.00	\$	407.00	€	330.00	
Pt1000-MC-PS	RTD Pt1000 Temperature Probe, range -50~130°C Logger maximum RTD Pt1000 temperature range is -100~400°C	\$	109.00	\$	81.00	€	66.00	
Flow-MC-PS	Coil or open collector	\$	125.00	\$	93.00	€	75.00	THE RESERVE OF THE PARTY OF
ACM-MC-PS	Flow metering off the pump run contact	\$	110.00	\$	82.00	€	66.00	Friedrich Jehrlichtein
DLC5USB	Spare GP-MC download cable (USB)	\$	126.00	\$	94.00	€	76.00	Lichard Balden Laboura
Omni7	Omni7 software in USB/CD (Free to download from our website)	\$	25.00	\$	19.00	€	15.00	********
LCD Series	LCD display means realtime readings can be viewed without connecting the logger to a con	ŕ.				1 -		U
HT-LCD	Humidity and Temperature (Internal) ±3.0%RH accuracy from 20%RH to 80%RH	\$	475.00		352.00		285.00	4
THT-LCD	Humidity and Temperature (External) (complete with standard HT11-Probe)	\$	725.00		537.00		435.00	55,444
HT11-Probe	Digital humidity sensor with ±3.0%RH accuracy from 20%RH to 80%RH	\$	260.00	\$	193.00	€	156.00	
Tc-LCD	Dual temperature. Accepts Thermocouple Types J, K, N, R, T (Does not include probe)	\$	455.00	\$	337.00	€	273.00	
HHT-03	Type K temperature probe for Tc-LCD	\$	43.00	\$	32.00	€	26.00	
Pt-LCD	External RTD temperature sensor, range -200~600°C (Does not include probe) Accepts RTD Pt100, Pt500 and Pt1000 type probes.	\$	455.00	\$	337.00	€	273.00	200
TP-Pt100-LCD	RTD Pt100 temperature probe for Pt-LCD, range -100~150°C	\$	150.00	\$	111.00	€	90.00	
P-LCD	Pressure (Does not include sensor) Sensor (1/8 inch NPT) options below:	\$	455.00	\$	337.00	€	273.00	- C
P100-LCD-PS	Range -15~100psi (Overload 200psi, Burst 500psi) with 500mm cable	\$	390.00	\$	289.00	€	234.00	
P300-LCD-PS	Range -15~300psi (Overload 600psi, Burst 1500psi) with 500mm cable	\$	390.00	\$	289.00	€	234.00	SAW COLLEGE LINES
Seahorse	Option: IP66 Weatherproof enclosure for LCD Series data loggers	\$	340.00	\$	252.00	€	204.00	أوها في الواقع الماليات المالي
DLC8USB	Spare LCD Series download cable (USB)	\$	126.00	\$	94.00	€	76.00	ELLANDRICH LANGEN
Omni7	Omni7 software in USB/CD (Free to download from our website)	\$	25.00	\$	19.00	€	15.00	


	Environmental Monitoring Sys	tems	•	•	•		
SMALL Environmental	Monitoring Systems		NZ\$		US\$	EUR€	
GP-HR-LB	GP-HR data logger in L-Bar with attachment plate and two 50mm U bolts.	\$	645.00	\$	478.00	€ 387.00	NAME OF TAXABLE PARTY.
	add Ground temperature	\$	116.00	\$	86.00	€ 70.00	
add any three of the following	add Air temperature and Humidity in Shield (Note: counts as two channels)	\$	530.00	\$	393.00	€ 318.00	
	add Leaf wetness	\$	315.00	\$	234.00	€ 189.00	
	add Solar Radiation	\$	220.00	\$	163.00	€ 132.00	
	add Wind direction	\$	610.00	\$	452.00	€ 366.00	
	add 4~20mA input	\$	80.00	\$	60.00	€ 48.00	
	add Voltage input	\$	80.00	\$	60.00	€ 48.00	
	add Windspeed	\$	570.00	\$	422.00	€ 342.00	
add any one of the	add Rain Gauge input	\$	80.00	\$	60.00	€ 48.00	
following	add 1mm Rain Gauge	\$	285.00	\$	211.00	€ 171.00	THE RESERVE OF STREET
-	add 0.2mm Rain Gauge	\$	398.00	\$	295.00	€ 239.00	Evaluation label Allaham
T-Bar	If you require Windspeed <b>and</b> Direction, use a T-Bar rather than an L-Bar	\$	55.00	\$	41.00	€ 33.00	E. Lik Hills of About Art
add download cable	Omni7 / OmniLog software and DLC3USB download cable Kit (USB)	\$	160.00	\$	119.00	€ 96.00	********
MEDIUM Environmenta	al Monitoring Systems		NZ\$		US\$	EUR€	

<b>MEDIUM Environmenta</b>	nl Monitoring Systems	NZ\$	US\$	EUR€	
GP-MC	10 channel universal input logger	\$ 750.00	\$ 555.00	€ 450.00	
	Option: IP66 Weatherproof enclosure	\$ 340.00	\$ 252.00	€ 204.00	THE REAL PROPERTY AND ADDRESS.
	Option: add External socket on Logger enclosure	\$ 77.00	\$ 57.00	€ 47.00	
	add Ground temperature	\$ 116.00	\$ 86.00	€ 70.00	
	add Air temperature and Humidity in Shield (Note: counts as two channels)	\$ 530.00	\$ 393.00	€ 318.00	
add any eight of the	add Leaf wetness	\$ 315.00	\$ 234.00	€ 189.00	
following	add Solar Radiation	\$ 220.00	\$ 163.00		
lollowing	add Wind direction	\$ 610.00	\$ 452.00	€ 366.00	
	add 4~20mA input	\$ 80.00	\$ 60.00	€ 48.00	
	add Voltage input	\$ 80.00	\$ 60.00		
	add Windspeed	\$ 570.00	\$ 422.00	€ 342.00	
add any two of the	add Rain Gauge input	\$ 80.00	 60.00	€ 48.00	
following	add 1mm Rain Gauge	\$ 285.00	\$ 211.00	€ 171.00	
	add 0.2mm Rain Gauge	\$ 398.00	\$ 295.00		
add any five of the	add Air temperature, Humidity and Pressure in Shield	\$ 790.00	\$ 585.00	€ 474.00	
following	add Air temperature and Humidity in Shield	\$ 640.00	\$ 474.00	€ 384.00	The second residence of the second
Mounting	add L-Bar with attachment plate and two 50mm U bolts and attach sensors.	\$ 215.00	\$ 160.00		TYPERNAMENT PROPERTY.
	add T-Bar with attachment plate and two 50mm U bolts and attach sensors.	\$ 270.00	\$ 200.00	€ 162.00	**********
add download cable	Omni7 / OmniLog software and DLC5USB download cable Kit (USB)	\$ 160.00	\$ 119.00	€ 96.00	

Temperature Probes								
<b>Wall Mount RTD Probes</b>			NZ\$	US\$	EUR€			
WMR-CB	Wall mount pvc conduit box probe. 6.4 x 100mm IP44 (-20~80°C).	\$	90.00	\$ 67.00	€ 54.00			
Gland	Optional cable gland	\$	10.00	\$ 8.00	€ 6.00			
WMR-AL Wall mo	Wall mount alloy head probe. 6.4 x 100mm IP67 (-40~110°C).	\$	142.00	\$ 106.00	€ 86.00			
	Other Temperature Sensors available on request.							

Weather Sensor Transn	nitters - 4~20mA Outputs (Individual)		NZ\$		US\$	EUR€	
1-CL-E	Humidity sensor c/w 1.5m cable (0~100%)	\$	275.00		204.00 €		- 1
-CL-E	Temperature sensor c/w 1.5m cable (-30~70°C)	\$	235.00		174.00 €		
P-CL-E	Barometric Pressure sensor c/w 1.5m cable (700~1100hPa)	\$	275.00		204.00 €		T
.E-CL	Light energy sensor c/w base plate and 5m cable (0~1500 w/m²)	\$	515.00		382.00 €		
VS3-CL	Wind speed (3 cup) c/w 5m cable (1.5m/sec start, 20mA = 60m/sec)	\$	798.00		591.00 €		
VS6-CL	Wind speed (6 cup) c/w 5m cable (0.45m/sec start, 20mA = 80m/sec)	\$	1,135.00		840.00 €		-
VD-CL	Wind direction c/w 5m cable (0°~360°)	\$	798.00		591.00 €		
RAIN	0.2mm Rain Gauge, Pulse output, Pole mount.	\$	398.00		295.00 €		
RAIN-CL	0.2mm Rain Gauge (4~20mA output via included <b>PI-F</b> transmitter, 0~55mm/hr)	\$	1,088.00		806.00 €		
ounting Options					333333		
.B	L-Bar with attachment plate and two 50mm U bolts	\$	140.00	\$	104.00 €	84.00	-
<u>гв</u> ГВ	T-Bar with attachment plate and two 50mm U bolts	\$	190.00		141.00 €		<b>1</b>
<u> </u>	Solar Radiation Shield - used for more accurate measurement of temperature, humidity	<b>—</b>		7			4
Shield	and barometric pressure sensors. (Does not include sensors)	\$	330.00	\$	245.00 €	198.00	
<del></del>	Must be attached to L-Bar or T-Bar.	*		ļ <sup>*</sup>			
		•		,	4		
	nitters - 4~20mA Outputs (Fully Mounted on T-Bar mounting arm)		NZ\$		US\$	EUR€	
NS3-WD-TB-CL	Wind speed 3 cup, wind direction, mounted on T-Bar c/w 5m cable	\$	1,840.00	\$	1,362.00 €	1,104.00	
	Wind speed 3 cup, wind direction, Temperature, Humidity and Barometric Pressure						
NS3-WD-THP-TB-CL	Sensors, all housed in solar Radiation Shield mounted on T-Bar mounting arm c/w 5m	\$	3,080.00	\$	2,280.00 €	1,848.00	
	cable.						material profit
THP-LB-CL	Temperature, Humidity and Barometric Pressure Sensors, all housed in solar Radiation	\$	1,373.00	\$	1,017.00 €	824.00	
	Shield mounted in L-Bar mounting arm c/w 5m cable.	P	1,3/3.00	Ą	1,017.00	024.00	
Options							
NS6	Fit WS6 (Wind speed 6 cup), instead of WS3 (used for lower starting speeds)	\$	390.00		289.00 €		
.E-CL	Light Energy Sensor	\$	515.00	\$	382.00 €	309.00	
LL O ODD Consors Wa	desured Analytical		NZA		UCA	FUDC	
oH & ORP Sensors - We M-10		T #	<b>NZ\$</b> 355.00		<b>US</b> \$ 263.00 €	<b>EUR€</b>	
	General purpose 1/2" NPT pH sensor	\$					
M-10-ORP	General purpose 1/2" NPT ORP sensor	\$	410.00	\$	304.00 €	246.00	
M-11	General purpose 3/4" NPT pH sensor	۱.	480.00	4	356.00 €	288.00	
<u>м-11</u> М-11-Pt100	General purpose 34" NPT pH sensor  General purpose 34" NPT pH sensor. Includes a RTD Pt100 sensor	\$	595.00		441.00 €		-
M-11-Pt100 M-11-Pt100-HT	General purpose 34" NPT pH sensor. Includes a RTD Pt100 sensor  General purpose 34" NPT pH sensor. High temp. version including a RTD Pt100 sensor	<b>*</b>			507.00 €		
4-11-6(100- <u>U</u> I	Joeneral pulpose 74 INPT pri sensor. High temp. Version including a KTD PT100 sensor	\$	685.00	Þ	507.00   €	411.00	
M-12	General purpose 3/4" NPT pH sensor	\$	480.00	ъ	356.00 €	288.00	
M-12 M-12-Pt100	General purpose 34" NPT pH sensor. Includes a RTD Pt100 sensor	\$	595.00		441.00 €		
	<u> </u>	Ψ.					-
M-12-Pt100-HT	General purpose 3/4" NPT pH sensor. High temp. version including a RTD Pt100 sensor	\$	685.00	<b>Þ</b>	507.00 €	411.00	
M-21	General purpose 3/4" NPT pH sensor with long insertion length	\$	515.00	\$	382.00 €	309.00	<u></u>
M-21-Pt100	General purpose 3/4" NPT pH sensor with long insertion length. Includes a RTD Pt100	4	620.00	4	467.00		The same of the sa
	sensor	\$	630.00	\$	467.00 €	378.00	
M-21-Pt100-HT	General purpose 3/4" NPT pH sensor with long insertion length. High temp. version	\$	750.00	÷	555.00 €	450.00	
21 - 2 1 - WT	including a RTD Pt100 sensor	1 %	750.00	\$	555.00   €	450.00	1

## Visit Intech Online at: www.intech.co.nz



## **Instrumentation Specialists**

We help industries to monitor and control processes

For all your instrumentation requirements.

# **Intech Manufactured Products**

Universal Input
Transmitters
Energy Management
Humidity Transmitters




pH & Conductivity Counters & Timers Test Equipment

















Intech



Christchurch, New Zealand